






MODULAR PUMPTRACK THE MODULES





MODULAR PUMPTRACK SPEEDRING



Part Count

T1L+R 2+2
T2L+R 2+2
T03 18

Installation Area

safety zone 20.4

Key Specifications

 Rideable surface length
 36m

 Layout area
 98m²

 Net weight
 1645kg

 Shipping volume
 25m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit Accelerator Kit

City Armour Kit

Additional B01 Modules x 4

X1 Entry / Exit Modules (X1L & X1R)






MODULAR PUMPTRACK TRISTAR



Part Count

T1L+R	 3+3
T2L+R	 3+3
T03	 15
B01	 12

Installation Area



Key Specifications

Rideable surface length	 46m
Layout area	 244m²
Net weight	 1976kg
Shipping volume	 32m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit

X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK QUADRAGON



Part Count

 <u>Installation Area</u>



Key Specifications

 Rideable surface length
 48m

 Layout area
 213m²

 Net weight
 1996kg

 Shipping volume
 32m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit

Additional B01 Modules x 4

X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK WORLD CUP



Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R	 4+4
T2L+R	 4+4
T03	 22
B01	 16
DB1	 1
G01	 2



Installation Area

Key Specifications

Rideable surface length	 65m
Layout area	 316r
Net weight	 282
Shipping volume	 42m

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

| Suggested Options & Accessories

Entry / Exit Kit Accelerator Kit

City Armour Kit

X1 Entry / Exit Modules (X1L & X1R)






MODULAR PUMPTRACK

ADVANCED







Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R 6+6 T2L+R 6+6 T03 26 B01 18 G01 3

Installation Area



Key Specifications

Rideable surface length Layout area Net weight Shipping volume

Materials

79m

 $379 m^2$

3458kg

50m³

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

| Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit

Additional B1 Modules x 4


X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK INFINITY LOOP






Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R	 4+4
T2L+R	 4+4
T03	 36
B01	 8
X1L+R	 4+4
X5	 4
¥7	2

Installation Area



Key Specifications

 Rideable surface length
 94m

 Layout area
 233m²

 Net weight
 3180kg

 Shipping volume
 41m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit


X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK SPEEDSTAR





Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R	 5+5
T2L+R	 5+5
T03	 33
B01	 14
X1L+R	 3+3
X5	 2
V7	2

Installation Area

safety zone

Key Specifications

 Rideable surface length
 99m

 Layout area
 354m²

 Net weight
 3446kg

 Shipping volume
 45m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit


X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK ENGULF





Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R 6+6
T2L+R 6+6
T03 30
B01 24
X1L+R 3+3
X5 2

Installation Area



Key Specifications

Rideable surface length Layout area Net weight Shipping volume

Materials

120m

308m²

4192kg

53m³

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit

Accelerator Kit

City Armour Kit


X1 Entry / Exit Modules (X1L & X1R)





MODULAR PUMPTRACK ENTERPRISE






Suggested 2m Safety Zone - Smooth, flat surface without any obstacle

Part Count

T1L+R	 6+6
T2L+R	 6+6
T03	 54
B01	 24
X1L+R	 5+5
X5	 2
V7	1

Installation Area



Key Specifications

Rideable surface length	 154m
Layout area	 477m ²
Net weight	 5340kg
Shipping volume	 67m³

Materials

Reinforced composite fibreglass anti-slip riding surface.

Premium timber skeleton with film faced birch exterior grade plywood structure.

Stainless steel and galvinised reinforcing.

Stainless steel hardware.

Suggested Options & Accessories

Entry / Exit Kit


Accelerator Kit

City Armour Kit

X1 Entry / Exit Modules (X1L & X1R)







MODULAR PUMPTRACK RHYTHM STRAIGHTS

Part Count

Key Specifications

 Rideable surface length
 15m

 Layout area
 15m²

 Net weight
 523kg

 Shipping volume
 6m³

 Fits on
 2 pallets

 Assembly time
 20 mins

Installation Area



Part Count

Key Specifications

 Rideable surface length
 29m

 Layout area
 29m²

 Net weight
 996kg

 Shipping volume
 11m³

 Fits on
 4 pallets

 Assembly time
 30 mins

Installation Area



Part Count

T1L+R	 4+
T2L+R	 4+
T03	 (
B01	 1.
DB1	 - 2
X06	 - 2

Key Specifications


rey specifications	
Rideable surface length	 50m
Layout area	 44m ²
Net weight	 1876kg
Shipping volume	 29m³
Fits on	 9 pallets
Assembly time	 60 mins


Installation Area






MODULAR PUMPTRACK CUSTOM DESIGNS











MODULAR PUMPTRACK UPGRADE KITS





Entry / Exit Kit


The Entry/Exit kit provides the modules & hardware necessary to add an entry & exit point to any Modular Pumptrack.

Modules Included:

XIL	 - 1
X1R	 1
X5L	 1
X5R	 1

This kit is compatible with any new or existing layout. It can be purchased as an upgrade in conjunction with a new order or sold seperately as an addition to an existing track.





Accelerator Kit

The Accelerator kit provides the modules & hardware necessary to add a straight 'acceleration' line that intersects with any Modular Pumptrack.

Modules Included:

X1L+R	 2+
X7L+R	 1
B01	
G01	
X06	

This kit is compatible with any new or existing layout. It can be purchased as an upgrade in conjunction with a new order or sold seperately as an addition to an existing track.



MODULAR PUMPTRACK X MODULES




X1 - Entry / Exit Module

The X1 is a B01 shaped entry & exit point.

Designed to provide a dedicated entry & exit point for any track. XI's provide a defined start & finish point keeping the flow of rider traffic smoother & easier to manage in any installation or location.

They allow riders to carry their speed whilst entering the track with better momentum for a fun & safer ride.


X1's also allow you to join a track to other tracks & pathways.



X5 - Ramp to Ground

The X5 provides a transition ramp from a X1 or X4 to ground level.


This transition module brings the riding surface of the X1 interface seemlessly down to ground level.



The X7 connects one X1 module to another X1 module.

This allows one track to join to another track or rhythm straight.





X6 - Ramp to Ground

The X6 provides a transition ramp from a B1 to ground level.

This transition module brings the riding surface of the B1 seemlessly down to ground level.



MODULAR PUMPTRACK CITY ARMOUR



City Armour - CA1

City Armour for covering the front bolts and recess of the T03 module.

The CA1 covers the bolts to prevents tampering and improves safety on the side of the T03 corner module.

CA1 can be permanently fixed using hardware provide or easily installed without fasterners as an excellent addition for events.



City Armour - CA3

City Armour for covering the bolts at the low side of the bump (B01) module. $\,$

The CA3 fixes over the galvinised angles used to join the low side of two bump modules providing a tidy and safe cover.

CA3 is permanently or semi-permanently fixed using the standard M10 bolts & dome nuts.



City Armour - CA2

City Armour for covering the back cavity of the T03 module

The CA2 covers the open back cavity of the T03 module, it covers all bolts to prevent tampering and stop build up of trash & debri.

The CA2 panels offers an excellent location for branding with logos & other signage.

CA2 is permanently fixed using vandal tamper hardware supplied.



Tamper Resistant Hardware


Tamper resistant hardware uses stainlesss 'pin-hex' button head secuirty screws with washers and internal coupling nuts.

The internal pin stops the use of standard hex tools improving the tamper resistance of all hardware.



MODULAR PUMPTRACK

SHIPPING / STORAGE / PACKAGING




Speed Ring

 Shipping / Storage Volume
 25m3

 Shipping Weight
 1580kg

 Pallet Count
 7

 Package Size (LxWxH)
 4.4m x 2.4m x 2.4m




Infinity Loop

 Shipping / Storage Volume
 41m3

 Shipping Weight
 3180kg

 Pallet Count
 22mm

 Package Size (LxWxH)
 22mm




Tristar

 Shipping / Storage Volume
 32m3

 Shipping Weight
 1976kg

 Pallet Count
 10

 Package Size (LxWxH)
 5.5m x 2.4m x 2.4m




Speedstar

 Shipping / Storage Volume
 45m3

 Shipping Weight
 3446kg

 Pallet Count

 Package Size (LxWxH)




Quadragon

 Shipping / Storage Volume
 32m3

 Shipping Weight
 2032kg

 Pallet Count
 9

 Package Size (LxWxH)
 5.5m x 2.4m x 2.4m




Engulf

 Shipping / Storage Volume
 53m3


 Shipping Weight
 4192kg

 Pallet Count


 Package Size (LxWxH)



World Cup



Enterprise



Advanced

 Shipping / Storage Volume
 50m3

 Shipping Weight
 3474kg

 Pallet Count
 16

 Package Size (LxWxH)
 8.7m x 2.4m x 2.4m



